

walrus  
spa designers limited



SAUNA

SPECIFICATIONS

[www.walrusspa.com](http://www.walrusspa.com)

Phone: +64 21 556 458 (Australia)

Freephone: 0800 4 WALRUS (New Zealand)

## KLAFS SMART SAUNA

Total stability provided by a glued and mortised timber substructure. Panels are joined together by our unique tongue and groove connection system. Internal cladding in profiled Scandinavian spruce boards featuring particularly deep tongue and groove. Standard external wall cladding (to cabin height) is Scandinavian spruce. Optional extras include: white varnished Scandinavian spruce or silver grey Thermopal panelling. Cabin base-frame in natural wood or grey. High-quality heat insulation with strong steam barrier.

**VENTILATION** Generously proportioned duct system integrated into the wall panels.

**DOOR** Clear safety glass (with threshold). The door can be hung on the right or left door stop in accordance with German standards, wooden handles.

**INTERIOR FITTINGS** Soft wood bench 60 cm wide with foot-step.

Ergonomically formed head and back rests. Stable heater with protective grille.

**HEATING UNIT** For model sizes up to 14.20: KLAFS TRUMPF 3 KW sauna heater, wall-mounted, VDE tested, made of stainless steel, double walled, stone container and raponsing stones, connection to 230 V alternating current. Total connected load 3 KW. For model sizes from 17.20: KLAFS TRUMPF 6 KW sauna heater. For model size 20:23: KLAFS TRUMPF 7.5 KW sauna heater, wall-mounted, VDE tested, made of stainless steel, double walled, stone container and raponsing stones, power unit, connection to 400 V rotary current (single-phase is also available).

**SAUNA CONTROL UNIT** KLAFS SL 028 sauna control unit, VDE tested, electronic temperature regulation, in-built protection from water splashes and overheating, 4-hour automatic timer, light, on/off switch.

**ACCESSORIES** Sauna lamp, hourglass, thermometer, sign displaying bathing rules and the brochure "Everything about sauna baths".

**SMART INFRARED CABIN** Fittings as above, but internal cladding aspen wood and does not include the sauna heater.

**KLAFS INFRARED HEATING SYSTEM** Surface heating of the of the cabin walls via concealed radiant panel heating ensures even radiation with low heat loss, providing gentle and even warmth when bathing. Air temperature 40 to 45 °C, wall temperature about 10 to 15 °C above the air temperature. For model sizes up to 14.20: connection to 230 V alternating current, total connected load 3 KW. For model sizes from 17.20: connection to 400 V rotary current via power unit (single-phase is also available).



### Options Available

Five corned model (not possible for models 11.14 and 15.15)	▲
Coloured Lighting system	▲
Glass Element	▲
Accessories Package: Raponsing bucket, ladle, set of classic aromas (5 x 250ml) and 2 KLAFS sauna towels	▲

### Sanarium Options

SOFT STEAM BATH	▲
-----------------	---

## KLAFS HOME SAUNA

Total stability provided by a glued and mortised timber substructure. Panels are joined together by our unique tongue and groove connection system. Internal cladding in profiled Scandinavian spruce boards featuring particularly deep tongue and groove. Also available in Hemlock as an optional extra. Standard external wall cladding (to cabin height) is Scandinavian spruce. Optional extras include: white varnished Scandinavian spruce or natural hemlock. Cabin base dipped and impregnated in grey. High-quality heat insulation with strong steam barrier.

### VENTILATION

Generously proportioned duct system integrated into the wall panels with flexible fittings.

### DOOR

Clear safety glass (with threshold). The door can be hung on the right or left door stop in accordance with German standards, wooden handles.

### INTERIOR FITTINGS

Benches in mature soft wood, 60 cm wide. From model 16.20 upwards, in-fill panels between upper and lower benches. From Model 20.20 upwards L-shaped benching. Back rest and one head rest per seat. Duckboard made of hygienic plastic.

### HEATING UNIT

KLAFS PLURIS sauna heater, wall-mounted, VDE tested, made of stainless steel, powdered anthracite external casing, stone container made of stainless steel, 30 kg of raponsing stones and protectors.

### SAUNA CONTROL UNIT

KLAFS 16028 sauna control unit, VDE tested, electronic temperature regulation, in-built protection from water splashes and overheating, 4-hour automatic timer, light, on/off switch.

### ACCESSORIES

Sauna lamp, hourglass, thermometer, sign displaying bathing rules and the brochure "Everything about sauna baths".



### Options Available

Hemlock interior	▲
Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG11 Glass element with door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Majus	▲
Bonatherm Under Bench heater	▲
Bonatherm VS	▲

## KLAFS PREMIUM SAUNA

Total stability provided by a glued and mortised timber substructure. Panels are joined together by our unique tongue and groove connection system. Internal cladding in profiled Scandinavian spruce boards featuring particularly deep tongue and groove. Also available in Hemlock as an optional extra. Standard external wall cladding (to cabin height) is Scandinavian spruce. Optional extras include: cladding to room height, white varnished Scandinavian spruce, natural or white hemlock. Cabin base dipped and impregnated in grey or white depending on cladding choice. High-quality heat insulation with strong steam barrier.

### VENTILATION

Generously proportioned duct system integrated into the wall panels with flexible fittings and facility to connect to aperture (by others) in structural wall or a ventilation duct.

### DOOR

Wooden sauna door with solid wooden frame, shiplapped. Heat insulation, large window made from safety insulated glass. The door can be hung on the right or left door stop in accordance with German standards, door plate. Alternatively, as an optional extra, full-length glass door in clear glass.

### INTERIOR FITTINGS

Rounded benches in mature soft wood, 60 cm wide, two-tiered, with separate stool, partly moveable. From model 16.20, in-fill panels between upper and lower benches. From Model 20.20 L-Shaped benching. Ergonomically formed back rests and one head rest per seat. Duckboard made of hygienic plastic.

### HEATING UNIT

KLAFS PLURIS sauna heater, wall-mounted, VDE tested, made of stainless steel, powdered anthracite external casing, stone container made of stainless steel, 30 kg of raponsing stones and protectors.

### SAUNA CONTROL UNIT

KLAFS 16028 sauna control unit, VDE tested, electronic temperature regulation, in-built protection from water splashes and overheating, 4-hour automatic timer, light, on/off switch.

### ACCESSORIES

Sauna lamp, hourglass, thermometer, sign displaying bathing rules, raponsing bucket and ladle, sample aromas and the brochure "Everything about sauna baths".



### Options Available

Hemlock interior	▲
PREMIUM Design Package	▲
Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG11 Glass element with glass door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Majus	▲
Bonatherm Under Bench heater	▲
Bonatherm VS	▲

## KLAFS LOUNGE SAUNA

Total stability provided by a glued and mortised timber substructure. Panels are joined together by our unique tongue and groove connection system. Internal cladding in profiled Hemlock boards featuring particularly deep tongue and groove, Also available in real hemlock veneer panels as an optional. Standard external wall cladding (to cabin height) is Scandinavian spruce. Optional extras include: cladding to room height, white varnished Scandinavian spruce, natural or white hemlock, high-quality real wood Hemlock veneer panelled cladding or in Wenge wood. Cabin base dipped and impregnated in grey or white depending on cladding choice. High-quality heat insulation with steam barrier.

### VENTILATION

Generously proportioned KLAFS CIRCOTHERM ventilation system integrated into the wall panels with flexible fittings and facility to connect to aperture (by others) in structural wall or a ventilation duct.

### DOOR

Clear safety glass door. The door can be hung on the right or left door stop in accordance with German standards, door handle beech/aluminium.

### INTERIOR FITTINGS

Comfortable LOUNGE bench furnishing, ergonomically formed on the upper level, made from mature soft wood, two-tiered, with separate stool, partly moveable. From Model 20.20: mitred upper corner benches. Ergonomically formed, comfortable back rests and one head rest per seat. Attractive wall-ceiling connection with concealed screw fittings.

### HEATING UNIT

KLAFS PLURIS sauna heater, wall-mounted, VDE tested, made of stainless steel, powdered anthracite external casing, stone container made of stainless steel, 30 kg of raponsing stones and protectors.

### SAUNA CONTROL UNIT

KLAFS SL 028 sauna control unit, VDE tested, microprocessor controlled, two-line display, standard and individual programmes, electronic temperature regulation, 24-hour pre-selection, light and ventilator switch, connection to touch-sensitive safety switch. In-built protection from water splashes and overheating, 4-hour automatic timer.

### ACCESSORIES

LOUNGE sauna lamp, DELUXE hourglass, thermometer, sign displaying bathing rules, raponsing bucket and ladle, sample aromas and the brochure "Everything about sauna baths".



### Options Available

Hemlock G-Plex Panels	▲
Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda (not recommended with G-Plex panels)	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG11 Glass element with glass door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Majus	▲
Bonatherm Under Bench heater	▲
Bonatherm VS	▲

## KLAFS SIGHT SAUNA

Walls and ceiling in Karelian spruce, 56 mm thick. Absolute stability comes from special construction with dovetail-jointed boards connected to vertical solid wood frame. Grey cabin base frame.

### VENTILATION

Generously proportioned duct system integrated into the wall panels with flexible fittings.

### DOOR

Clear safety glass (with threshold). The door can be hung on the right or left door stop in accordance with German standards, wooden handles.

### INTERIOR FITTINGS

Benches in mature soft wood, 60 cm wide. From model 16.20, in-fill panels between upper and lower benches. From Model 20.20 corner benches. Back rest and one head rest per seat. Duckboard made of hygienic plastic.

### HEATING UNIT


KLAFS PLURIS sauna heater, wall-mounted, VDE tested, made of stainless steel, powdered anthracite external casing, stone container made of stainless steel, 30 kg of raponsing stones and protectors.

### SAUNA CONTROL UNIT

KLAFS 16028 sauna control unit, VDE tested, electronic temperature regulation, in-built protection from water splashes and overheating, 4-hour automatic timer, light, on/off switch.

### ACCESSORIES

Sauna lamp, hourglass, thermometer, sign displaying bathing rules, raponsing bucket and ladle, sample aromas and the brochure "Everything about sauna baths".



### Options Available

Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG 11 Glass element with glass door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Majus	▲
Bonatherm Under Bench heater	▲
Bonatherm VS	▲

## KLAFS EMPIRE SAUNA

Walls and ceiling in Karelian spruce, 56 mm thick. Absolute stability comes from special construction with dovetail-jointed boards connected to vertical solid wood frame. Gabled roof as standard for sauna sizes from 200 to 230 cm deep (gabled roof cannot be supplied in the event of special ceiling shapes or insufficient head room). Grey cabin base frame.

### VENTILATION

Generously proportioned KLAFS CIRCOTHERM ventilation system integrated into the wall panels with flexible fittings and facility to connect to aperture (by others) in structural wall or a ventilation duct.

### DOOR

Clear safety glass (without threshold). The door can be hung on the right or left door stop in accordance with German standards, wooden handles.

### INTERIOR FITTINGS

Rounded benches in mature soft wood, 60 cm wide, two-tiered, with separate stool, partly moveable. From model 16.20, in-fill panels between upper and lower benches. From Model 20.20 mitred upper corner benches.

Ergonomically formed back rests and one head rest per seat. Duckboard made of hygienic plastic.

### HEATING UNIT


KLAFS PLURIS sauna heater, wall-mounted, VDE tested, made of stainless steel, powdered anthracite external casing, stone container made of stainless steel, 30 kg of raponsing stones and protectors.

### SAUNA CONTROL UNIT

KLAFS SL 028 sauna control unit, VDE tested, microprocessor controlled, two-line display, standard and individual programmes, electronic temperature regulation, 24-hour pre-selection, light and ventilator switch, connection to touch-sensitive safety switch. In-built protection from water splashes and overheating, 4-hour automatic timer, light, on/off switch.

### ACCESSORIES

Sauna lamp, LOUNGE hourglass, thermometer, sign displaying bathing rules, raponsing bucket and ladle, sample aromas and the brochure "Everything about sauna baths".



### Options Available

Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG11 Glass element with glass door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Majus	▲
Bonatherm Under Bench heater	▲
Bonatherm VS	▲

## KLAFS INFRARED SAUNA

Total stability provided by a glued and mortised timber substructure. Panels are joined together by our unique tongue and groove connection system. Internal cladding in profiled Aspen boards featuring particularly deep tongue and groove. Standard external wall cladding (to cabin height) is Scandinavian spruce. Optional extras include: cladding to room height, white varnished Scandinavian spruce, natural or white hemlock or Variomeda (cabin height only). Cabin base dipped and impregnated in grey or white depending on cladding choice. High-quality heat insulation with strong steam barrier.

### VENTILATION

Generously proportioned KLAFS CIRCOTHERM ventilation system integrated into the wall panels with flexible fittings and facility to connect to aperture (by others) in structural wall or a ventilation duct.

### DOOR

Clear safety glass door (without threshold). The door can be hung on the right or left door stop in accordance with German standards, wooden handles.

### INTERIOR FITTINGS

Rounded benches in mature soft wood, 60 cm wide, two-tiered, with separate stool, partly moveable. From model 16.20, in-fill panels between upper and lower benches. From Model 20.20 corner benches. Ergonomically formed back rests and one head rest per seat. Duckboard made of hygienic plastic.

### INFRARED HEATING TECHNOLOGY

Surface heating of the cabin walls via concealed radiant panel heating ensures even radiation with low heat loss.

### SAUNA CONTROL UNIT

KLAFS SL 033 sauna control unit, VDE tested, microprocessor controlled, two-line display, electronic temperature regulation, in-built protection from water splashes and overheating, 4-hour automatic timer, light, on/off switch.

Noiseless TRIAC power unit.

### ACCESSORIES

Sauna lamp, hourglass, thermometer and sign displaying bathing rules.

### IR-PLUS (INFRARED AND SAUNA)

The IR-PLUS fittings enable you to enjoy sauna bathing in your infrared cabin.

They comprise: KLAFS PLURIS sauna heater, wall-mounted, VDE tested, made of stainless steel, powdered anthracite external casing, stone container made of stainless steel, 30 kg of raponsing stones, with protectors and power unit.

Sauna lamp, hourglass, thermometer and the brochure "Everything about sauna baths".



### Options Available

Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG11 Glass element with glass door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Majus	▲
Bonatherm Under Bench heater	▲
Bonatherm VS	▲

## KLAFS PROTEO SAUNA

The PROTEO sauna is based on the LOUNGE sauna with the following additional information.

### TECHNICAL FITTINGS

MAJUS sauna heater with 100 kg of stones for intensive raponsing, VDE tested. Sauna control unit 16029 with microprocessor technology, large lit display, 24-hour pre-selection, electronic temperature regulation and numerous connection possibilities.

### INTERIOR FITTINGS

Interior cladding hemlock, wall and ceiling panels in Avantgarde design, optionally in STRUKTURA design. PROTEO bench furnishing. Wooden "carpet", OLYMPIC wall lamps. Heater corner in natural stone, choice of sandstone brick or variegated Dark Grey Nero Assoluto.

### EXTERNAL CLADDING

Choice of cladding for one side wall in Zebrano veneer, aspen wood, natural or bronze mirrored hemlock. Cladding for the second side wall and/or back wall is also possible as an optional extra.

### FRONTAGE

Cupboard element with door leaf made of translucent glass, choice of continuous glazing or glazing in two parts, colours salmon red or white-green. Glass door with extra-wide curved wooden door handle. Fully glazed wall element.



### Options Available

Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG11 Glass element with glass door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Bonatherm Under Bench heater	▲
Bonatherm VS	▲

## KLAFS CHARISMA SAUNA

The CHARISMA sauna is based on the LOUNGE sauna with the following additional information.

### TECHNICAL FITTINGS

BONATHERM VS underbench heating system with 100 kg of stones for intensive rapsosing, VDE tested. Sauna control unit 16029 with microprocessor technology, large lit display, 24-hour pre-selection, electronic temperature regulation and numerous connection possibilities.

### INTERIOR FITTINGS

Internal cladding in profiled hemlock boards featuring particularly deep tongue and groove. Radial ceiling panels in beech with graduated ceiling rings with optional light feature. Comfortable LOUNGE bench furnishing, comprising mature soft wood, two-tiered arrangement, with stool, comfortable back rests and one head rest per seat. One OLYMPIC wall lamp.

### EXTERNAL CLADDING

External cladding in American cherry wood veneer panels with protruding door area, three side windows and towel railing. Optional extras include: ceiling connection frieze made from moisture resistant lightweight elements, pre-prepared for colour treatment on-site.

### CHARISMA SHOWER

Half-open, generously proportioned shower area. Prefabricated construction using moisture resistant lightweight elements featuring high levels of stability and heat insulation. Walls cladded with tiles or mosaics. With a wide range of shower fittings, such as flood shower, Kneipp hose and 6-head body shower. Optionally available with adventure shower corner with tropical rain or polar shower. Connecting shelf between sauna and shower, in keeping with external cladding of sauna.



### Options Available

Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG11 Glass element with glass door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Majus	▲
Bonatherm VS	▲

## KLAFS VENTANO SAUNA

The VENTANO sauna is based on the LOUNGE sauna with the following additional information.

### TECHNICAL FITTINGS

MAJUS sauna heater with 100 kg of stones for intensive raponsing, VDE tested. Sauna control unit 16029 with microprocessor technology, large lit display, 24-hour pre-selection, electronic temperature regulation, numerous connection possibilities and internal electronic display with Pur button.

### INTERIOR FITTINGS

Internal cladding in wide, real wood hemlock veneer panels in various widths. Comfortable LOUNGE bench furnishing, comprising mature soft wood, two-tiered arrangement, with stool, sculpted back rests and one head rest per seat. One OLYMPIC wall lamp.

### EXTERNAL CLADDING

Protruding door area with frameless, integrated fully glazed front, extending round the corner and featuring bar-shaped stainless steel bar handle and self-closing hinges. Cladding of the front wall and one visible side wall in horizontally arranged real wood veneer panels in American walnut, connection profiles and panels in umber grey. Cladding for the second side wall and/or back wall is possible as an optional extra.



### Options Available

Coloured Lighting system	▲
Coloured Lighting with LIFTLIGHT	▲
Aquaviva	▲
Bellaveda	▲
Starry Sky, 40 points of light	▲
Sound Package	▲
Wellcontrol	▲
TOUCHCONTROL	▲
Reading Lamp	▲
TG11 Glass element with glass door	▲

### Sanarium Options

SANARIUM® M with SaunaPur®	▲
SANARIUM® B	▲
SANARIUM® S	▲
SANARIUM® Compact	▲
SOFT STEAM BATH	▲

### Heater Options

Bonatherm VS	▲
--------------	---

## SAUNA OPTIONS

### INTERNAL ELECTRONIC DISPLAY WITH PUR BUTTON

Internal electronic display when sauna is in operation: Temperature and time. For SANARIUM® operation: temperature, humidity and time on a rotating basis. Pur button for operation of the SaunaPur® function in the cabin.

### ARCTIC STARRY SKY

Where the stars sparkle and dreams come to life: ARCTIC Starry Sky with a choice of 40 or 80 light spots, randomly distributed across the surface of the ceiling. Light fitting is a chromium-nickel surface. KLAFS control unit 16068 with random sequence generator: Setting for basic lighting, speed and programmes. Additional price for these fittings in conjunction with the installation of a new KLAFS sauna.

### READING LAMP.

Lamp with bendable arm. Bendable arm covered in a transparent silicon coating, frosted glass, square connection box made of stainless steel, lamp 12 V/20 W, including transformer. Fixed to wall of cabin, various positions are possible, settings take place via an on site switch or via the Klafs control units 16029 or 16033 parallel to cabin lighting. Additional price for these fittings when installing a new Klafs sauna.

### COLOURED LIGHT

A mood setter in four colours: Aluminium housing to contain the colour stimulation lamps and necessary electrical components, cover plate in disseminating strips of safety insulating glass set flush into the ceiling of the sauna. The frame is fitted as a window element and offers ease of opening to change bulbs. Fittings: low pressure lamps in the spectral colours of red, green, blue and yellow. A range of time intervals possible via control panel. Possibility of individual setting of the single colours or change of colour (red, green, blue, yellow) via automatic programming. Additional price for these fittings when installing a new KLAFS sauna at the same time.

### COLOURED LIGHT with LIFTLIGHT

Available on request together with the innovative LIFTLIGHT, the collagen-forming, and therefore skin firming function of which is particularly effective in the warmth of the sauna.

### AQUAVIVA

In order to achieve optimum relaxation, taking a sauna is something which you should celebrate, something for which you should take time and something which you should enjoy with all your senses. Such a consideration led the media artist Professor Walter Giers to develop AQUAVIVA. This objet d'art is made of hand worked mineral glass and is a source of stimulating optical and acoustic charms, making you believe that you are sitting in a forest, beside a mountain stream or by the sea. As well as the new feeling for space, AQUAVIVA also enhances mental relaxation.

## SAUNA OPTIONS Continued

### **KLAFS TOUCHCONTROL**

Innovative touch screen control, high level of user convenience and extensive functionality extending to include operation across more than one cabin. Standard and individual programmes for a wide range of forms of bathing, health ABC, password protection, instructions and help function. High resolution, high contrast and scratch resistant touch screen, solid aluminium housing. In aluminium colour or oxidised black, extra flat design, connectivity to the building process control system, service interface, line in for MP3. Only possible in combination with control units 16029 or 16033 or MK5 evaporator technology. Klafs IMES-1 interface may be required. 130 x 232 x 52 mm (H x W x D; visible D. 22 mm).

### **WELLCONTROL**

Infrared remote control for KLAFS sauna cabins, 185 x 60 x 28 mm (H x W x D), weight: approx. 220 g. Two-colour (cream white/light ivory), ergonomically formed plastic housing with a lifetime battery. Heat resistant up to 130 °C. Easy and clear operation for use within the sauna cabin. Only possible in combination with control units 16029 or 16033 and internal display. Klafs IMES-1 interface may be required. Additional price for these fittings when installing a new KLAFS sauna.

### **SOUND PACKAGE**

2 heat-proof and steam proof speakers fitted under the benches to be connected to customer sound system.

### **BELLAVEDA**

Light object with frosted single pane safety glass, flush fitted into wall panel, 50 cm wide. Lateral light supply via 750 red, green and blue LED's. Reflector space with special back wall and fluid colour transitions. Control unit for setting of the speed of colour transitions. Excellent in combination with Starry Sky and/or "Drifting sounds". Additional price for these fittings when installing a new Klafs sauna.

### **TG11 Glass element with glass door**

Standard fully glazed element with integrated door in single pane safety glass, clear glass. Can be used with cladding for PREMIUM and LOUNGE except in profile board cladding. Glass element approx. 40 cm wide fixed to floor with u-section; fixed within the frame to the side and top; door edge strip. Door leaf approx. 60 cm wide. Door frame height 200 cm. Roller catch fixed to top of frame

### **PREMIUM DESIGN PACKAGE**

1: Pitched roof. 2: Special corner laths with concealed screw fixings for the wall/ceiling connection. 3: Upper corner lath mitred benches. 4: Non-visible supporting laths (separated cover panel). 5: One OLYMPIC lamp. 6: DELUXE hourglass Glass 7: Door handle aluminium/beech

## SANARIUM OPTIONS

### **SANARIUM• WITH SaunaPur•**

The Klafs MAJUS or BONATHERM sauna heater features an integrated evaporator and large water tank. The Aqua panel makes with visible filling level indicator and floating ball make it easy to see how much water is in the SANARIUM•. The filling vessel specifically developed for the SANARIUM• enables easy filling of the evaporator and drainage of residual water. The special steam outlet in the centre of the heater has a removable aroma cup for aromatherapy. Climate control: SANARIUM® control unit 16033 with microprocessor and lit display (125 x 70 mm), SaunaPur® function, standard and individual programmes, electronic temperature regulation and 24-hour pre-selection. Light and fan switch, automatic subsequent drying and connectivity for touch-sensitive safety switch. Additional price for these fittings when installing a new KLAFS sauna.

### **SANARIUM®C**

This is available on the KLAFS PLURIS heater. The SOFT CLIMATE HEATER features integrated evaporator and water tank. The filling vessel specifically developed for the SANARIUM• enables easy filling of the evaporator and drainage of residual water. There is also a removable aroma cup for aromatherapy.

Climate control: SANARIUM® control unit 16033 with microprocessor and lit display (125 x 70 mm), standard and individual programmes, electronic temperature regulation and 24-hour pre-selection. Light and fan switch, automatic subsequent drying and connectivity for touch-sensitive safety switch. Additional price for these fittings when installing a new KLAFS sauna.

### **SOFT STEAM BATH**

SOFT CLIMATE HEATER with integrated evaporator and water tank. Comes with removable aroma cup for scenting. Filling vessel specifically developed for the SANARIUM® enables easy filling of the evaporator and drainage of residual water. Climate control: Soft steam bath control unit 16043 with microprocessor. Electronic temperature regulation, humidity regulation, in-built protection from water splashes and overheating, 4-hour automatic timer. Additional price for these fittings when installing a new KLAFS sauna.

### **SANARIUM® S**

External evaporator unit for connection to MAJUS or BONATHERM VS sauna heaters. The evaporator is connected directly to the water supply. No need to fill and empty tanks. Steam generation takes place via a powerful evaporator unit.

Climate control: SANARIUM® control unit 16033 with microprocessor and lit display (125 x 70 mm), SaunaPur® function, standard and individual programmes, electronic temperature regulation and 24-hour pre-selection. Light and fan switch, automatic subsequent drying and connectivity for touch-sensitive safety switch. Additional price for these fittings when installing a new KLAFS sauna and for onsite water and electrical connections for the PREMIUM and LOUNGE saunas when placing the technology in the direct vicinity of the sauna.

## HEATER OPTIONS

### **BONATHERM**

KLAFS BONATHERM sauna heating system, VDE tested, space saving installation under the benches, large air outlet, baffle hood with additional vane, with stone container and raponsing stones.

### **BONATHERM VS**

BONATHERM VS sauna heating system, underbench system, VDE tested, powdered anthracite external casing, space saving installation under the benches, large stone basket holding approx. 100 kg of original Finnish olivine stones for long heat retention and intensive raponsing. Using the heater in combination with the KLAFS sauna control unit 16029 also enables the SaunaPUR® function to be used. 780 x 1,200 x 570 mm (H x W x D). Weight of heater approx. 150 kg (including olivine sauna stones).

### **MAJUS SAUNA HEATER**

MAJUS upright sauna heater, VDE tested, extra large stone basket holding approx. 100 kg of original Finnish olivine stones for long heat retention and intensive raponsing. With integrated rail. Using the heater in combination with the KLAFS sauna control unit 16029 also enables the SaunaPUR® function to be used. 960 x 510 x 510 mm (H x W x D). Weight of heater approx. 170 kg (including olivine sauna stones).